

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : Precor 2625 Premise Spray
 Synonyms : 100517677; EPA Reg. No.: 89459-12; RF2220 PREMIUM AEROSOL II-M

1.2. Recommended use and restrictions on use

Recommended use : Insecticide.
 Restrictions on use : Keep out of reach of children. Avoid all contact with skin, eyes, or clothing. Keep away from heat, sparks and flame. Use only outdoors or in a well-ventilated area. Do NOT take internally.

1.3. Supplier

Central Garden & Pet Company
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States

www.zoecon.com

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | |
|---|--|
| Flammable aerosol Category 2 | Flammable aerosol |
| Gases under pressure Compressed gas | Contains gas under pressure; may explode if heated |
| Specific target organ toxicity (single exposure) Category 3 | May cause drowsiness or dizziness |
| Aspiration hazard Category 1 | May be fatal if swallowed and enters airways |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable aerosol
 Contains gas under pressure; may explode if heated
 May be fatal if swallowed and enters airways
 May cause drowsiness or dizziness

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Use only outdoors or in a well-ventilated area.
 If swallowed: Immediately call poison center or doctor.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 Call poison center or doctor if you feel unwell.
 Do NOT induce vomiting.
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
 Protect from sunlight. Do not expose to temperatures exceeding 35 °C/95 °F.
 Dispose of contents/container to in accordance with local/regional/national/international regulations.

Precor 2625 Premise Spray

Safety Data Sheet

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|--|----------------------|---------|
| Etofenprox | (CAS-No.) 80844-07-1 | 1 |
| (s)-Methoprene Technical | (CAS-No.) 65733-16-6 | 0.09 |
| Tetramethrin | (CAS-No.) 7696-12-0 | 0.25 |
| Pyrethrins | (CAS-No.) 8003-34-7 | 0.15 |
| Piperonyl Butoxide | (CAS-No.) 51-03-6 | 1.5 |
| Distillates (petroleum), hydrotreated light | (CAS-No.) 64742-47-8 | 10 |
| Propane | (CAS-No.) 74-98-6 | 7.3 |
| Butane | (CAS-No.) 106-97-8 | 7.2 |
| Non-hazardous and/or does not meet criteria for classification | (CAS-No.) N/A | Balance |

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Causes drowsiness and dizziness.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Explosion hazard : Pressurized container. At temperatures above 130°F, container may rupture. Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. The vapor is heavier than air. Vapors may travel considerable distances to a source of ignition where they can ignite, flash back or explode.

Reactivity : Flammable aerosol. Pressurized container: may burst if heated.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. Do not allow fire fighting water to escape into waterways or sewers. Eliminate all ignition sources if safe to do so. Evacuate area.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Precor 2625 Premise Spray

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

Emergency procedures : As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. At temperatures above 130°F, container may rupture. Do NOT wash away into sewer. Avoid release to the environment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate unnecessary personnel. Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. Stay upwind. Stop release. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Keep away from fire, sparks, and heated surfaces. Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Use appropriate PPE.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing fumes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep from freezing. NFPA Aerosol Classification: Level 1.

Incompatible materials : Heat, sparks, open flame. Strong acids. Strong bases. Strong oxidizers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Pyrethrins (8003-34-7) | | |
|------------------------|--------------------------------------|------------------------|
| ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ |
| ACGIH | Remark (ACGIH) | Liver dam; LRT irr |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 5 mg/m ³ |
| IDLH | US IDLH (mg/m ³) | 5000 mg/m ³ |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ |

| Distillates (petroleum), hydrotreated light (64742-47-8) | | |
|--|--------------------------------|--|
| ACGIH | ACGIH TWA (mg/m ³) | Absorbed through skin. 200 mg/m ³ , (as total hydrocarbon vapor) 8 hours. |

| Propane (74-98-6) | | |
|-------------------|--------------------------------------|------------------------|
| ACGIH | Remark (ACGIH) | Simple Asphyxiant |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 1800 mg/m ³ |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |
| IDLH | US IDLH (ppm) | 2100 ppm (10% LEL) |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 1800 mg/m ³ |

Precor 2625 Premise Spray

Safety Data Sheet

| Propane (74-98-6) | | |
|-------------------|--------------------------------------|------------------------|
| NIOSH | NIOSH REL (TWA) (ppm) | 1000 ppm |
| Butane (106-97-8) | | |
| ACGIH | ACGIH STEL (ppm) | 1000 ppm |
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 1900 mg/m ³ |
| NIOSH | NIOSH REL (TWA) (ppm) | 800 ppm |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves. Gloves

Eye protection:

Safety glasses

Skin and body protection:

It is recommended for handlers to wear appropriate clothing to prevent skin contact including long sleeves, long pants, socks and shoes.

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------------------|
| Physical state | : Liquid |
| Appearance | : Neutral; glossy aerosol spray |
| Color | : Neutral; glossy |
| Odor | : Weak, neutral, paint-like |
| Odor threshold | : No data available |
| pH | : 6.5 |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Flammable aerosol |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : 0.97 |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |

Precor 2625 Premise Spray

Safety Data Sheet

| | |
|----------------------|--|
| Explosion limits | : No data available |
| Explosive properties | : Pressurized container: may burst if heated |
| Oxidizing properties | : Not applicable |
| Flame extension | : 12.3 |
| Heat of combustion | : 7.49 KJ/g |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable aerosol. Pressurized container: may burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight.

10.5. Incompatible materials

Heat, sparks, open flame. Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Precor 2625 Premise Spray | |
|----------------------------|----------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 5000 mg/kg |
| LC50 inhalation rat (mg/l) | > 2.05 mg/l/4h |
| Vaporizer | Aerosol |

| GHS-US Properties | Classification |
|--|---|
| Acute toxicity (oral) | Not classified |
| Acute toxicity (dermal) | Not classified |
| Acute toxicity (inhalation) | Not classified |
| Skin corrosion/irritation | Not classified |
| Serious eye damage/irritation | Not classified |
| Respiratory or skin sensitization | Not classified |
| Germ cell mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Not classified |
| Specific target organ toxicity (single exposure) | May cause drowsiness or dizziness. |
| Specific target organ toxicity (repeated exposure) | Not classified |
| Aspiration hazard | May be fatal if swallowed and enters airways. |

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness.

Skin

Acute : May cause mild skin irritation.

Chronic : Repeated exposure to etofenprox can cause skin irritation.

Eye

Precor 2625 Premise Spray

Safety Data Sheet

| | |
|-----------------------------|--|
| Acute | : May cause mild eye irritation. |
| Ingestion | |
| Acute | : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. |
| Mutagenicity | : Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods. (s)-Methoprene has been tested and found negative for mutagenicity potential. Tetramethrin is not a mutagen. Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Piperonyl butoxide was not mutagenic in a battery of tests. |
| Carcinogenicity | : Etofenprox is not classified as carcinogen by NTP, IARC and OSHA. (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA. Tetramethrin is not listed as a carcinogen by IARC, NTP or OSHA. Pyrethrins are not listed as a carcinogen by OSHA, IARC, or NTP. Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA. |
| Reproductive Effects | : Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments. (s)-Methoprene is not a reproductive toxin and does not cause birth defects. Tetramethrin is not a teratogen. Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. |

SECTION 12: Ecological information

12.1. Toxicity

| Etofenprox (80844-07-1) | |
|--|--|
| LC50 Acute fish 1 | 0.0027 mg/l (Exposure time: 96h - Rainbow trout) |
| LC50 Acute fish 2 | > 0.0165 (Exposure time: 96h - Sheepshead minnow) |
| LC50 Acute crustacea 1 | 0.0000188 mg/l (Exposure time: 96h - Mysis shrimp) |
| LC50 Acute crustacea 2 | 0.0008 mg/l (Exposure time: 48h - Daphnia magna) |
| NOEC Chronic crustacea 1 | 0.00017 mg/l (Daphnia magna) |
| (s)-Methoprene Technical (65733-16-6) | |
| LC50 Acute fish 1 | 0.76 mg/l (Exposure time: 96h - Rainbow trout) |
| LC50 Acute fish 2 | > 0.37 mg/l (Exposure time: 96h - Blue gill) |
| LC50 Acute crustacea 1 | 0.11 mg/l (Exposure time: 96h - Mysis shrimp) |
| LC50 Acute crustacea 2 | 0.36 mg/l (Exposure time: 48h - Daphnia magna) |
| NOEC Chronic fish 1 | 0.048 mg/l (Fathead minnow) |
| NOEC Chronic crustacea 1 | 0.014 mg/l (Mysis shrimp) |
| Tetramethrin (7696-12-0) | |
| LC50 Acute fish 1 | 0.0037 mg/l (Exposure time: 96h - Rainbow trout) |
| LC50 Acute fish 2 | 0.016 mg/l (Exposure time: 96h - Blue gill) |
| LC50 Acute crustacea 1 | 0.11 mg/l (Exposure time: 48h - Daphnia magna) |
| Pyrethrins (8003-34-7) | |
| LC50 Acute fish 1 | 0.0051 mg/l (Exposure time: 96h - Rainbow trout) |
| LC50 Acute fish 2 | 0.016 mg/l (Exposure time: 96h - Sheepshead minnow) |
| LC50 Acute crustacea 1 | 0.0014 mg/l (Exposure time: 96h - Mysis shrimp) |
| LC50 Acute crustacea 2 | 0.0116 mg/l (Exposure time: 48h - Daphnia magna) |
| NOEC Chronic fish 1 | 0.0019 mg/l (Fathead minnow) |
| NOEC Chronic fish 2 | 0.0059 mg/l (Sheepshead minnow - Estimated) |
| NOEC Chronic crustacea 1 | 0.00086 mg/l (Daphnia magna) |
| NOEC Chronic crustacea 2 | 0.0001 mg/l (Mysis shrimp - Estimated) |
| Piperonyl Butoxide (51-03-6) | |
| LC50 Acute fish 1 | 1.9 mg/l (Rainbow trout) |
| LC50 Acute fish 2 | 3.94 mg/l (Sheepshead minnow) |
| LC50 Acute crustacea 1 | 0.49 mg/l (Mysis shrimp) |
| LC50 Acute crustacea 2 | 0.51 mg/l Gammarus fasciatus (amphipod) |
| NOEC Chronic fish 1 | 0.04 mg/l (Fathead minnow) |
| NOEC Chronic fish 2 | 0.04 mg/l (Fathead minnow) |
| NOEC Chronic crustacea 1 | 0.03 mg/l (Daphnia magna) |
| LOEC (chronic) | 0.11 mg/l (Fathead minnow) 0.047 mg/l (Daphnia magna) |

Precor 2625 Premise Spray

Safety Data Sheet

12.2. Persistence and degradability

| Etofenprox (80844-07-1) | |
|---------------------------------------|--|
| Persistence and degradability | Etofenprox is not readily biodegradable. |
| (s)-Methoprene Technical (65733-16-6) | |
| Persistence and degradability | (s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water. |
| Pyrethrins (8003-34-7) | |
| Persistence and degradability | Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light. |

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

| (s)-Methoprene Technical (65733-16-6) | |
|---------------------------------------|---|
| Mobility in soil | Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days). |

12.5. Other adverse effects

| Precor 2625 Premise Spray | |
|---------------------------|--|
| Ecological Fate | This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. |

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

| | UN number | Proper Shipping Name | Transport hazard class(es) | Packing group | Environmental hazards |
|-------------|-----------|---|----------------------------|----------------|-----------------------|
| DOT | UN1950 | Aerosols, Flammable | 2.1 | Not applicable | Not applicable |
| IMDG | UN1950 | Aerosols, flammable (contains Etofenprox, Pyrethrins) | 2.1 | Not applicable | Marine pollutant |
| IATA | UN1950 | Aerosols, flammable | 2.1 | Not applicable | Not applicable |

SECTION 15: Regulatory information

15.1. US Federal regulations

| Tetramethrin (7696-12-0) | |
|--|------------------------------|
| Subject to reporting requirements of United States SARA Section 313 | |
| SARA Section 313 - Emission Reporting | 1 % |
| Pyrethrins (8003-34-7) | |
| CERCLA RQ | 1 lb listed under Pyrethrins |
| Piperonyl Butoxide (51-03-6) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 | |
| SARA Section 313 - Emission Reporting | 1 % |

Precor 2625 Premise Spray

Safety Data Sheet

| | |
|--|---|
| Distillates (petroleum), hydrotreated light (64742-47-8) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Propane (74-98-6) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Butane (106-97-8) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| FIFRA Labelling | |
| EPA Registration Number | 89459-12 |
| This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. | |
| FIFRA Precautionary Statement | KEEP OUT OF REACH OF CHILDREN. |
| FIFRA Hazards to Humans and Domestic Animals | Contains Petroleum Distillate. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Repeated exposure to etofenprox can cause skin irritation. |
| FIFRA First Aid | IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person. Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia. |
| FIFRA Environmental Hazards | This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the area. |
| FIFRA Physical Hazard | Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting |

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 28 August 2015
Revision date : 26 February 2020
Supersedes : 08 June 2018

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.